

VIETNAM OFFICES

HCM One-Stop Shopping Center
279 Nguyen Van Troi Str, Ward 10,
Phu Nhuan District, Ho Chi Minh City
T (84.28) 3844 1884
F (84.28) 3997 0135
E infoacc@ancuong.com

An Cuong Head Office
702/1K Su Van Hanh Street, Ward 12,
District 10, Ho Chi Minh City
T (84.28) 3862 5726
F (84.28) 3862 5727
E infoacc@ancuong.com

An Cuong Show Gallery and Design Center
Block A-Happy Valley, 816 Nguyen Van Linh Street,
Tan Phong Ward, District 7, Ho Chi Minh City
T (84.28) 7300 9822
E infoacc@ancuong.com

An Cuong Show Depot 1
162 Tan Huong Street, Tan Quy Ward,
Tan Phu District, Ho Chi Minh City
T (84.28) 3847 2078
F (84.28) 3847 2068
E infoacc@ancuong.com

An Cuong Show Depot 2
Section No. 2, Lot 5-1, M12 Street,
Extended Tan Binh Industrial zone, Binh Hung Hoa Ward,
Binh Tan District, Ho Chi Minh City
T (84.28) 3620 5633
F (84.28) 3620 5636

An Cuong Factory Outlet
DT 747 B Phuoc Hai, Thai Hoa,
Tan Uyen, Binh Duong
T (84.274) 3626 282
F (84.274) 3626 284
E infoacc@ancuong.com

Ha Noi Show Gallery and Design Center
Villa C4-N08-B The new urban area Dich Vong,
Cau Giay District, Ha Noi
T (84.24) 6281 4719
F (84.24) 6281 4729
E infoacc@ancuong.com

Ha Noi One-Stop Shopping Center
10 Chuong Duong Do Street,
Hoan Kiem District, Ha Noi
T (84.24) 3336 3388
F (84.24) 3823 8929
E infoacc@ancuong.com

Da Nang Show Gallery and Design Center
75 Hoang Dieu Street,
Hai Chau District, Da Nang
T (84.236) 388 6191
F (84.236) 383 9459
E infoacc@ancuong.com

Da Nang One-Stop Shopping Center
451 Dien Bien Phu Street
Hoa Khe Ward, Thanh Khe District, Da Nang
T (84.236) 730 7899
F (84.236) 362 5729
E infoacc@ancuong.com

INTERNATIONAL OFFICES

Malaysia Office and Showroom
B2-12-2 Dataran Niaga SG Besi,
Midfields Square East, Jin 11/108C,
57100 Kuala Lumpur
T +60 12 230 6486
E infoacc@ancuong.com

Japan Office via Sumitomo Forestry Group
Timber & Building Materials Division
Business Planning Department
1-3-2 Otemachi, Chiyoda-Ku
Tokyo 100-8270, Japan
T +81 3 3214 3280
E infoacc@ancuong.com

Australia Office via Antry Pty Ltd
45 Welshpool Road,
Welshpool Western Australia 6106
T +61 8 9472 8131
E infoacc@ancuong.com

Canada Office via Zen living
Bay 1- 4216 61 Avenue S.E
Calgary Alberta Canada, T2C 1Z5
T +1403 720 928
E infoacc@ancuong.com

America Office
752 Eren Ct
Woodland CA 95776, USA
T +1 916 807 0475
E infoacc@ancuong.com

Cambodia Office and Showroom
S1 Building # 93, Preah Sihanouk Blvd,
Phnom Penh
T +855 97 457 7658
E infoacc@ancuong.com

TẢI APP AC CATALOGUE ĐỂ QUÉT QR CODE TRONG CATALOGUE

INSTALL AC CATALOGUE APP TO SCAN QR CODE IN CATALOGUE



Download on the
App Store



GET IT ON
Google Play

www.ancuong.com

fb.com/ancuongcompany

TOUCH | NATURAL
MODERN

Flooring Collection 2019 - 2020



LAMINATE FLOORING

LAMINATE FLOORING
TOUCH | NATURAL | MODERN

LAMINATE FLOORING
TOUCH | NATURAL | MODERN

LAMINATE FLOORING
TOUCH | NATURAL | MODERN



LAMINATE
FLOORING





More from wood

Since establishment in 1994 , everything at ANCUONG is about wood. This living material is unequalled in maintaining a healthy ambient air, creating a pleasant atmosphere, and providing quality. This is what we believe in, and you can be sure that with every ANCUONG flooring you bring a little piece of nature into your home.

But there are other reasons why millions of people across the world share their homes with ANCUONG. The diversity of decors - in the case of ANCUONG laminate flooring you can currently choose from more than 30 designs - gives you the possibility to have free reign for your personal style. And for good reason: Due to the robust properties, our products will be with you for many years to come.


We see ourselves as part of your life. This is what we work for. And this is why here at ANCUONG, we keep developing our flooring even further.

The most important benefits of ANCUONG laminate flooring :

- ✓ Particularly resilient and high-quality laminate
- ✓ Aqua+ laminate is well suited to wet areas
- ✓ Versatile in all spaces, both residential and commercial
- ✓ Laminate is available in tile, wood and concrete effect with a large selection of decors for every taste and style of living
- ✓ High quality for the home thanks to our anti-static technology
- ✓ Natural substances ensure a healthy indoor climate in the home
- ✓ Simple laminate installation thanks to our patented click systems

The structure of ANCUONG Comfort flooring.

- 1 Overlay layer
- 2 Decorative layer
- 3 HDF core
- 4 Balance layer



Information

Product name	Laminate Flooring 8mm/12mm	Product Size: available size	
Dimensional Tolerances	Property tested	Standard Agreed	Test Method
	Classification	AC4	EN13329
	Length	+/- 0.5mm	EN13329
	Width	+/-0.1mm	EN13329
	Thickness	+/-0.24 mm	EN13329
	Squareness	≤ 0.2mm	EN13329
	Flatness of element	Maximum Single Value <i>f_w, concave</i> ≤0.15% <i>f_w, convex</i> ≤ 0.2% <i>f_l, concave</i> ≤ 0.5% <i>f_l, convex</i> ≤1%	EN13329
Porosity	Porosity	Surface pores should not be clearly visible from 30cm distance	4B pencil
Physical Properties	Bending Strength	≥35N/mm ²	EN310
	Density	Over 860kgs/m ³	EN323
	Abrasion Resistance	≥4000 Cycle	EN13329
	Tensile Strength	≥1.2N/mm ²	EN319
	Thickness Swelling	≤18%	EN13329
	Anti Impact (Big ball)	≥500mm	EN13329
	Scratch	Level 4	EN438
	Stain	Group 1+2 - Level 5 Group 3 - Level 4	EN438
	Cigarette	Level 4	EN438
	Moisture content	5 - 8%	EN322
Formaldehyde emission	8mg/100<a≤30mg/100g	EN120	



AC 4004RL Frost Oak
135|185x1192mm (12mm)
190x1200mm (8mm)



AC 4005RL Organic Oak
135|185x1192mm (12mm)
190x1200mm (8mm)



AC 4006RL Flouilly Oak
135|185x1192mm (12mm)
190x1200mm (8mm)



The trends in interior design.

The design preference shows off your own style, but also the values and tendencies of our times. Ancuong works closely with internationally known trend researchers to find the right floor for the right times.



AC 4017PL Mellow Chestnut
135|185x|192mm (12mm)
190x1200mm (8mm)



AC 4016PL Mellow Chestnut
135|185x|192mm (12mm)
190x1200mm (8mm)



AC 4014RL Canyon Nostalgie Oak
135|185x|192mm (12mm)
190x1200mm (8mm)



AC 4015PL Mellow Chestnut
135|185x|192mm (12mm)
190x1200mm (8mm)






AC 4012PL Waveless Oak Allover
135|185x192mm (12mm)
190x1200mm (8mm)



AC 4008PL Canyon Mountain Walnut
135|185x192mm (12mm)
190x1200mm (8mm)



AC 388RL Santana Oak
135|185x192mm (12mm)
190x1200mm (8mm)



AC 4007PL Teak Naturdiele
135|185x192mm (12mm)
190x1200mm (8mm)





AC 425RL Riviera Oak
135|185x1192mm (12mm)
190x1200mm (8mm)




AC 437RL Riviera Oak
135|185x1192mm (12mm)
190x1200mm (8mm)



AC 4001PL Natural Oak
135|185x1192mm (12mm)
190x1200mm (8mm)




AC 4002PL Walnut
135|185x1192mm (12mm)
190x1200mm (8mm)



AC 4003PL Denver Eiche
135|185x1192mm (12mm)
190x1200mm (8mm)





AC 5007SMM Trano Marble
282x580mm (12mm)




AC 5001SMM Rocks
282x580mm (12mm)



AC 5008SMM Kamala
282x580mm (12mm)






AC 5009SMM Veneto
282x580mm (12mm)




INDEX (LEFT)

Code	Description	Size	Page
AC 388RL	Santana Oak	135 185x1192mm (12mm), 190x1200mm (8mm)	8
AC 425RL	Riviera Oak	135 185x1192mm (12mm), 190x1200mm (8mm)	10
AC 437RL	Riviera Oak	135 185x1192mm (12mm), 190x1200mm (8mm)	10
AC 4001PL	Natural Oak	135 185x1192mm (12mm), 190x1200mm (8mm)	10
AC 4002PL	Walnut	135 185x1192mm (12mm), 190x1200mm (8mm)	11
AC 4003PL	Denver Eiche	135 185x1192mm (12mm), 190x1200mm (8mm)	11
AC 4004RL	Frost Oak	135 185x1192mm (12mm), 190x1200mm (8mm)	4
AC 4005RL	Organic Oak	135 185x1192mm (12mm), 190x1200mm (8mm)	4
AC 4006RL	Flouilly Oak	135 185x1192mm (12mm), 190x1200mm (8mm)	4
AC 4007PL	Teak Naturdiele	135 185x1192mm (12mm), 190x1200mm (8mm)	9
AC 4008PL	Canyon Mountain Walnut	135 185x1192mm (12mm), 190x1200mm (8mm)	9
AC 4012PL	Waveless Oak Allover	135 185x1192mm (12mm), 190x1200mm (8mm)	9
AC 4014RL	Canyon Nostalgie Oak	135 185x1192mm (12mm), 190x1200mm (8mm)	6
AC 4015PL	Mellow Chestnut	135 185x1192mm (12mm), 190x1200mm (8mm)	7
AC 4016PL	Mellow Chestnut	135 185x1192mm (12mm), 190x1200mm (8mm)	6
AC 4017PL	Mellow Chestnut	135 185x1192mm (12mm), 190x1200mm (8mm)	6
AC 5001SMM	Rocks	282x580mm (12mm)	13
AC 5007SMM	Trano Marble	282x580mm (12mm)	13
AC 5008SMM	Kamala	282x580mm (12mm)	13
AC 5009SMM	Veneto	282x580mm (12mm)	14



Twin Clic

ANCUONG laminate flooring system has been specifically designed to make fitting your laminate flooring as easy and hassle free as possible. The Clic and groove profiles allow individual panels to be joined together quickly with minimal tools or complications.





AC 1161BT Piazza
135|185x1192mm (12mm)
190x1200mm (8mm)



AC 431BT Light Loft
135|185x1192mm (12mm)
190x1200mm (8mm)



AC 430BT Dark Loft
135|185x1192mm (12mm)
190x1200mm (8mm)






AC 4009PL Mellow Chestnut
135|185x1192mm (12mm)
190x1200mm (8mm)



AC 4010RL Burlington Oak
135|185x1192mm (12mm)
190x1200mm (8mm)



AC 4011PL Pastis Allover
135|185x1192mm (12mm)
190x1200mm (8mm)



P u r e Nature


Warm and elegant,
rustic and timeless: the
embodiment of pure
naturalness



AC 443RL Canyon Monument Oak
135|185x|192mm (12mm)
190x1200mm (8mm)



AC 445RL Canyon Monument Oak
135|185x|192mm (12mm)
190x1200mm (8mm)



AC 444PL Canyon Monument Oak
135|185x|192mm (12mm)
190x1200mm (8mm)





AC 4018PL Canyon Summer Oak
135|185x1192mm (12mm)
190x1200mm (8mm)



AC 4020PL Canyon Nostalgic Ash
135|185x1192mm (12mm)
190x1200mm (8mm)



AC 4019PL Canyon Historic Cypress
135|185x1192mm (12mm)
190x1200mm (8mm)





AC 447PL Pastis Allower
135|185x1192mm (12mm)
190x1200mm (8mm)



AC 428PL Riviera Oak
135|185x1192mm (12mm)
190x1200mm (8mm)



AC 4013PL Picard
135|185x1192mm (12mm)
190x1200mm (8mm)



AC 9238PL Ash / Wenge
135|185x1192mm (12mm)
190x1200mm (8mm)





AC 5004SMM Veneto
282x580mm (12mm)



AC 5010SMM Veneto
282x580mm (12mm)



AC 5003SMM Veneto
282x580mm (12mm)



INDEX (RIGHT)

Code	Description	Size	Page
AC 428PL	Riviera Oak	135 185x1192mm (12mm), 190x1200mm (8mm)	10
AC 430BT	Dark Loft	135 185x1192mm (12mm), 190x1200mm (8mm)	2
AC 431BT	Light Loft	135 185x1192mm (12mm), 190x1200mm (8mm)	2
AC 443RL	Canyon Monument Oak	135 185x1192mm (12mm), 190x1200mm (8mm)	7
AC 444PL	Canyon Monument Oak	135 185x1192mm (12mm), 190x1200mm (8mm)	6
AC 445RL	Canyon Monument Oak	135 185x1192mm (12mm), 190x1200mm (8mm)	7
AC 447PL	Pastis Allower	135 185x1192mm (12mm), 190x1200mm (8mm)	11
AC 1161BT	Piazza	135 185x1192mm (12mm), 190x1200mm (8mm)	2
AC 4009PL	Mellow Chestnut	135 185x1192mm (12mm), 190x1200mm (8mm)	5
AC 4010RL	Burlington Oak	135 185x1192mm (12mm), 190x1200mm (8mm)	5
AC 4011PL	Pastis Allover	135 185x1192mm (12mm), 190x1200mm (8mm)	5
AC 4013PL	Picard	135 185x1192mm (12mm), 190x1200mm (8mm)	10
AC 4018PL	Canyon Summer Oak	135 185x1192mm (12mm), 190x1200mm (8mm)	9
AC 4019PL	Canyon Historic Cypress	135 185x1192mm (12mm), 190x1200mm (8mm)	9
AC 4020PL	Canyon Nostalgin Ash	135 185x1192mm (12mm), 190x1200mm (8mm)	9
AC 5003SMM	Veneto	282x580mm (12mm)	12
AC 5004SMM	Veneto	282x580mm (12mm)	12
AC 5006SMM	Valia	282x580mm (12mm)	14
AC 5010SMM	Veneto	282x580mm (12mm)	12
AC 9238PL	Ash / Wenge	135 185x1192mm (12mm), 190x1200mm (8mm)	10



AC 5006SMM Valia
282x580mm (12mm)

